## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



## TOOLE'S

### Supplementary List

#### SPRING OF 1936

# New, Unusual or Little Known Perennials and Rock Garden Plants

Each Year we try out scores of new varieties of plants in our endeavor to find out the best of the newer things for our flower loving friends. Many of these have to be discarded for various reasons, some because of plain inferiority, others because of unsuitability to our severe climate, both summer and winter. We think the varieties here offered all have merit if given proper care, but we make no blanket recommendations for all conditions or any guarantee as to hardiness or suitability to your garden conditions.

Unless otherwise noted, all of the following plants are out of  $2\frac{1}{4}$  or  $2\frac{1}{2}$  inch pots and guaranteed to reach you in vigorous growing condition. 12 plants at the price of ten, 4 3 or more of one variety at dozen rates.

We are growing many other varieties. If you do not find what you want in our catalog or in this list, write us and we may have it.

W. A. TOOLE Of Garry-nee-Dule, Baraboo, Wis.

Androsace Chumbyi—Compact tufts of downy rosettes,	a =
Rosy flowers, 2 inch	.35
Androsace Primuloides—Silky rosettes and rosy lilac flowers	.35
Anemone Sylvestris—Fragrant white flowers in June.	
12 inch. Cool shade	.35
Anthemis Sancta Johannis—Bright orange flowers on	
12 inch stems in summer. One of the better new	
introductions in border perennials	.35
Arenaria Rupestris—Low trailer with large white flowers	.25
Arenaria Steveniana—Grass like foliage and white	
flowers on 4 inch stems	.35
Aster Countess of Dudley-New dwarf rose pink aster	.35
Aster Hybridus Luteus—A newer variety with long racemes of lemon yellow flowers in late August and September. Very effective as a cut flower or in the	
front of the perennial border or in a rock wall	.35
Aster Madame Carroy—This very new aster of medium	
height makes a mound of lavender blue flowers in	
September	35
	.00
Aster Marjorie—Another of the so popular new dwarf	25
asters. Pink flowers. September and October	
Aster Nancy—Dwarf, flesh pink flowers	.35
Asperula Cynanchica—Mat of fine foliage and small	
pink flowers all summer and fall. Gritty soil	.25
Barbarea Rupicola—(Winter Cress) Bright yellow	
flowers and bright green foliage. Biennial	.15
Campanula Bavarica—A form, of muralis. Low purple trailer	

Campanula Muralis (Portenschlag ana)—Purple bells through summer and fall. Trailer	.25
Campanula Persicaefolia Telham Beauty—China blue	
flowers in June. 2-3 ft.	.25
Chrysogonium Virginianum—From the Smoky Moun-	
tains. 3- 5 inches. Golden flowers on short stems	
through summer	.25
Hardy Garden Chrysanthemums Joanna-A Toole in-	
troduction for 1936. Single flowers, spoon shaped	
petals of an attractive bronzy yellow color	.25
Maeta—Toole, 1936. Single, spoon shaped petals,	
handles silvery pink, spoons rose pink very compact	.25
Dianthus Brevicaulis—Attractive low mat of foliage.	
Pink flowers in May	.25
Dianthus Neglectus—A very tiny pink. Low mats of	Ē٨
foliage, bright carmine flowers with tan reverse	.ou
Dianthus Neglectus Roysi—An English improved	۲O
Neglectus with sturdier growth and larger flowers	.50
Dianthus Hybridus Pink Beauty—Toole, 1936. This is	
supposedly a seedling of D. Neglectus Roysi but if so	
it was accidently crossed with a much sturdier variety and shows no resemblance to Neglectus. Very glaucus	
stubby leaves and comparatively large pink flowers	
on short stiff stems. Heaviest flowering is in May but	
it is hardly ever without a flower or two till ground	.7
freezes. I think this will be classed one of the best	
Dwarf Dianthus	.50
Epimedium Macranthum—White flowers and Adiantum, like foliage. Shaded rock garden or wall	.25
Eriophyllum Caepitosum—(Oregon Sunshine.) Western	
native. Grey foliage. Yellow daisy flowers on 8 inch	
stems. Poor well drained soil and sun	.25
Erigeron Compositus—Small divided grey leaves.  Lavender flowers. 2 inch	
Globularia Bellidifolia—Tufts of small rounded leaves	
and grey blue flowers on 3 inch stems	
Geranium Albanium—Light pink flowers. 18 inch	.20
Geranium Wilfordi—New. Rose pink. 12-15 inch	.25
Helianthemum Ben Nevis—Yellow	.15
Helianthemum Buttercup—Single yellow	.15
Helianthemum Peach—Lovely peach pink	
Helianthemum Rose Queen—Large pink	
	.20
DWARF IRIS	
Balceng Curiosity—Yellow, purple and olive. Fragrant 8 inch	
Black Midget—Buds soot black. Deep purple blooms.	
Blue Standard—Light blue purple bicolor. 9 inch	
Boquet—White and heliotrope. 6 inch	
Butterfly—Cream and olive. Fragrant	
Excelsa—A little purple flower. 4 inch	
Harbor Lights—Soft sulphur yellow. 6 inch	.25
Prairie Gem—Dark yellow. 6 inch	.35
Pumila Cyanea—Deep blue purple	.15
Silver Elf-S. pure white. F. grey, lined light blue	
10 inch	.50

Socrates—Claret red self. Dwarf	.25
Wigan—Brownish red tone. Very pretty. 6 inch	.35
Heuchera Pluie de Feu-Fiery red	.25
Hypericum Japonicum—15-18 inch. Yellow flowers on	
upright stems	15
Lobelia Syphilitica—Great blue Lobelia	.15
Lychnis Caramanica—New. Popular in England. Low tufts with stems of bright pink flowers	.25
Pentstemon Crandalli—Mats of narrow foliage and blue flowers in late spring. 1-2 inch. Western Native	.25
Phyteuma Scheuchzeri—A rock loving species requiring sun and a well drained soil of sand and humus. Violet blue. 6-8 inch. June	.25
Phlox Columbia—Plant patent 118. The popular new salmon pink. Strong field grown plants	.50
Phlox B Compte—Satiny amaranth red	.15
Phlox Coquelicot—Small flowered but brilliant salmon	
red	.15
Phlox Gustave Lind—New. Large flowered bright rose red	.20
Phlox Guy Moore—Crushed strawberry	
Phlox Lillian—Attractive salmon pink	
Phlox Wm. Kesselring—Large violet flowers. White	
eye	.20
Potentilla Argentea—Yellow flowers. Leaves green above, silver below	.20
Potentilla Nivalis-White flowered. Rock garden	
Potentilla	.35
Primula Juliae Hybrid Primrose Lodge—Deep crimson flowers. Originated by Mrs. Percy Armstrong of Glencoe, Ill.	
Ranunculus Acris fl. pl.—Old fashioned double yellow "Bachelors Button"	
SAXIFRAGES, Encrusted	
	2 5
Aizoon Lutea—Yellow	
Lingulata—Narrow leaves. White flowers	
Pectinata—Dark encrusted foliage creamy flowers	.35
SAXIFRAGES, Mossy	
Bathoniensis—Dark green cushion	.20
Caespitosa—Native American. Creamy	.20
Hypnoides—Rapid grower. White	.20
Silene Maritima—Grey foliage, white flowers, sun, 5-6 inch, rock garden or wall	.15
Silene Maritima Rosea—As above but with pink flowers Scutellaria Baicalensis—Bushy. Light blue. 12-18 inch	.15
Scutellaria Indica Japonica—Alpine Skullcap with	
mauve flowers. 6 inch	
Sisyrinchium Grandiflorum—(Grass Widow) Western native. Blue flowers. 15 inch	
Stachys Iberica—A dwarf Woundwort	
	.LJ
Thlaspi Jankae—A crucifer with purple flowers in early spring. 4-6 inch	
	.20
Thymus Lanicaulus—A free growing somewhat hairy variety from Sweden	

Thymus Nummularius—Glossy foliage. Late blooming.	
Thymus Serpryllum Carmineus—Low creeper. Flesh colored flowers	.15
Valeriana Coccinea—Border perennial with bright rose flowers. 16-20 inch	
Veronica Repens—A tiny creeper with many small round leaves. Covered in May with milk white flowers For stone steps, stepping stones or rock crevices. Shallow rooted so must not get very dry	.20
Viola Rosea—A delicate flowered, rose colored violet for shade. Not vivid in color but attractive	
Viola Giant White—Flower looks like a giant white form of our native V. Cucullata. Flowers freely early in spring. Increases readily from seeds and is well suited to naturalizing in a wild garden	
Viola, Cream Colored—Species unknown. Small creamy white flowers on branched stems	.25
Johnny-Jump-Up—We are frequently asked for plants of the old fashioned "Johnny-Jump-Up" or "None So-Pretty". Here it is	.15
Vinca Alpina—Apparently a type of V. minor of a very compact growth and double lilac colored flowers	
Vinca Minor Variegata—A form of the Periwinkle with a creamy white border to the leaves	
NATIVE FERNS	
Botrychium Virginianum—Three parted fern with curious fertile frond rising from center. Shade but well drained soil	.25
ious fertile frond rising from center. Shade but well	
ious fertile frond rising from center. Shade but well drained soil  Onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp	.25
ious fertile frond rising from center. Shade but well drained soil  Onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp soil  Osmunda Cinnamonea—Cinnamon Fern. Luxuriant	.25
ious fertile frond rising from center. Shade but well drained soil  Onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp soil  Osmunda Cinnamonea—Cinnamon Fern. Luxuriant grower. Not difficult. Sun or shade. Likes damp soil  Osmunda Regalis—Royal Fern. Prefers a bog but will	.25 .25
onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp soil  Osmunda Cinnamonea—Cinnamon Fern. Luxuriant grower. Not difficult. Sun or shade. Likes damp soil  Osmunda Regalis—Royal Fern. Prefers a bog but will grow on drier soil but not so luxuriantly. 12-50 inch  Pteridium Aquilinum—Brake. A coarse fern good for	.25 .25
ious fertile frond rising from center. Shade but well drained soil  Onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp soil  Osmunda Cinnamonea—Cinnamon Fern. Luxuriant grower. Not difficult. Sun or shade. Likes damp soil  Osmunda Regalis—Royal Fern. Prefers a bog but will grow on drier soil but not so luxuriantly. 12-50 inch  Pteridium Aquilinum—Brake. A coarse fern good for naturalizing on poor soil	.25 .25 .25
onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp soil  Osmunda Cinnamonea—Cinnamon Fern. Luxuriant grower. Not difficult. Sun or shade. Likes damp soil  Osmunda Regalis—Royal Fern. Prefers a bog but will grow on drier soil but not so luxuriantly. 12-50 inch  Pteridium Aquilinum—Brake. A coarse fern good for naturalizing on poor soil  WISCONSIN WILD FLOWERS  Aralia Racemosa—Spikenard. Greenish white flowers in spring, red berries in fall. Large tropical looking foliage. 2-5 feet. Shade and rich soil  Chiogenes Hispidula—Creeping Snowberry. Grows on acid sphagnum hummocks or rotted acid conifer logs. Must have acid soil, and shade with constant moisture till established. Snow white berries in late summer	.25 .25 .20
ious fertile frond rising from center. Shade but well drained soil  Onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp soil  Osmunda Cinnamonea—Cinnamon Fern. Luxuriant grower. Not difficult. Sun or shade. Likes damp soil  Osmunda Regalis—Royal Fern. Prefers a bog but will grow on drier soil but not so luxuriantly. 12-50 inch  Pteridium Aquilinum—Brake. A coarse fern good for naturalizing on poor soil  WISCONSIN WILD FLOWERS  Aralia Racemosa—Spikenard. Greenish white flowers in spring, red berries in fall. Large tropical looking foliage. 2-5 feet. Shade and rich soil  Chiogenes Hispidula—Creeping Snowberry. Grows on acid sphagnum hummocks or rotted acid conifer logs. Must have acid soil, and shade with constant moisture till established. Snow white berries in late summer.  Epigaea Repens—Trailing Arbutus. This beautiful native may be established in your wild garden if given a very acid soil and not allowed to dry out until established. Strong clumps	.25 .25 .20
onoclea Sensibilis—Sensitive fern. Tropical looking fronds. Curious brown fruiting fronds that persist over winter. 12-36 inch. Sun or shade. prefers damp soil  Osmunda Cinnamonea—Cinnamon Fern. Luxuriant grower. Not difficult. Sun or shade. Likes damp soil  Osmunda Regalis—Royal Fern. Prefers a bog but will grow on drier soil but not so luxuriantly. 12-50 inch  Pteridium Aquilinum—Brake. A coarse fern good for naturalizing on poor soil  WISCONSIN WILD FLOWERS  Aralia Racemosa—Spikenard. Greenish white flowers in spring, red berries in fall. Large tropical looking foliage. 2-5 feet. Shade and rich soil  Chiogenes Hispidula—Creeping Snowberry. Grows on acid sphagnum hummocks or rotted acid conifer logs. Must have acid soil, and shade with constant moisture till established. Snow white berries in late summer  Epigaea Repens—Trailing Arbutus. This beautiful native may be established in your wild garden if given a very acid soil and not allowed to dry out until esta-	.25 .25 .20